Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2701	((714/4) or (370/219) or (714/6)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:33
L2	366	(rejoin\$5 or recover\$4 or reintegrat\$7) with gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
L3	402	(rejoin\$5 or recover\$4 or reintegrat\$7) with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
L4	23	(((redundant or spare) with gateway) same network) and ((Home or residential) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
L5	3425	1 or 2 or 3 or 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
L6	251	5 and @pd>"20041112"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:35
L7	15541	rip or "router information protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:35
L8	15544	rip or "route information protocol"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:36
L9	15544	7 or 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:36

		Υ				
L10	6	6 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:36
S1	1229	((714/4) or (370/219)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:32
S2	2975	(365/201).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 11:27
S3	3	(((backup or back-up or "back up") with gateway) same network) and RIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:40
S4	3	(((redundant or spare) with gateway) same network) and RIP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:41
S5	6.	(((redundant or spare) with gateway) same network) and heartbeat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 13:44
S6	21	(((redundant or spare) with gateway) same network) and ((Home or residential) with network)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
S7	2556	714/6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/12 14:49
S8	1	"10/062445"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/13 14:17
S9	562	(backup or secondary) with gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 16:01

	<u> </u>		 			,
S10	358	(rejoin\$5 or recover\$4 or reintegrat\$7) with gateway	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:33
S11	59	S9 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 15:49
S12	10606	heartbeat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 15:49
S13	10698	S11 aqnd S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 15:50
S14	2	S11 and S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 15:49
S15	393	(rejoin\$5 or recover\$4 or reintegrat\$7) with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/03 11:34
S16	762	(backup or secondary) with router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/05 16:01
S17	60	S15 and S16	US-PGPUB;	OR	OFF	2005/03/05 16:01
			USPAT; EPO; JPO;			
			DERWENT; IBM_TDB			
S18		"5761414"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/06 11:48